



检测报告

报告编号 EDD39H00031801

第 1 页 共 11 页

委托单位 安徽江淮汽车股份有限公司

地 址 合肥市丹霞路 282 号

检测类别 工业废气

编 制: 高书莹
审 核: 李娜
签 发: 陈顺平
签发人职位: 实验室负责人
签 发 日 期: 2015 年 8 月 21 日

采样日期: 2015 年 04 月 09 日 检测日期: 2015 年 04 月 09 日-2015 年 04 月 17 日

合肥市经济技术开发区芙蓉路标准厂房 2#A 三层

No. 1072832358

检测结果

报告编号

EDD39H00031801

第 2 页 共 11 页

样品信息:

--	--	--	--	--	--

※

■

检测结果

报告编号

EDD39H00031801

第 3 页 共 11 页

采样点	检测项目	结果		排气筒高度 m
轻卡二厂涂装车间面 涂烘干室废气排放口	颗粒物	排放浓度 mg/m ³	0.676	20
		排放速率 kg/h	9.65×10 ⁻²	
	苯	排放浓度 mg/m ³	0.01L	
		排放速率 kg/h	/	
	甲苯	排放浓度 mg/m ³	0.01L	
		排放速率 kg/h	/	
	二甲苯	排放浓度 mg/m ³	0.34	
		排放速率 kg/h	4.87×10 ⁻³	
轻卡二厂总装车间尾 气排放口	非甲烷总烃	排放浓度 mg/m ³	12.8	
		排放速率 kg/h	0.0183	
	一氧化碳	排放浓度 mg/m ³	3.5	
		排放速率 kg/h	0.121	
	氮氧化物	排放浓度 mg/m ³	0.01	
		排放速率 kg/h	0.001	

检测结果

报告编号

EDO39H00031801

第 6 页 共 11 页

检测点：轻卡二厂涂装车间电泳烘干室废气排放口 16:20-16:35

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.04	kPa
烟温	168	℃	全压	1.10	kPa
截面	0.0707	m ²	含湿量	4.4	%
流速	11.9	m/s	烟气流量	3023	m ³ /h
动压	86	Pa	标干流量	1802	m ³ /h

检测点：轻卡二厂涂装车间面漆烘干室废气排放口 16:42-16:52

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.08	kPa
烟温	156	℃	全压	1.10	kPa
截面	0.1257	m ²	含湿量	4.4	%
流速	5.2	m/s	烟气流量	2315	m ³ /h
动压	17	Pa			

检测结果

报告编号

EDD39H00031801

第 7 页 共 11 页

检测点：轻卡三厂涂装车间喷漆废气排放口 10:28-10:38

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.28	kPa
烟温	18	℃	全压	1.28	kPa
截面	3.4800	m ²	含湿量	2.4	%
流速	1.4	m/s	烟气流量	17708	m ³ /h
动压	2	Pa	标干流量	16366	m ³ /h

检测点：轻卡三厂涂装车间喷漆废气排放口 10:41-10:51

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.25	kPa
烟温	18	℃	全压	1.25	kPa
截面	3.4800	m ²	含湿量	2.4	%
流速	1.4	m/s	烟气流量	17321	m ³ /h
动压	2	Pa	标干流量	16004	m ³ /h

检测点：轻卡三厂涂装车间喷漆废气排放口 10:50-11:05

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.25	kPa

检测结果

报告编号

EDD39H400031801

第 8 页 共 11 页

检测点：轻卡三厂涂装车间电泳烘干室废气排放口 10:00-10:15					
参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.73	kPa
烟温	104	℃	全压	1.87	kPa
截面	0.0207	m ²	含氧量	3.4	%
流速					

大气压	101.0	kPa	静压	1.36	kPa
烟温	88	℃	全压	1.43	kPa
截面	0.0297	m ²	含氧量	3.4	%
流速	11.8	m/s	烟气流量	3340	m ³ /h
烟速	104	Pa	标干流量	3943	m ³ /h

检测点：轻卡三厂涂装车间电泳烘干室废气排放口 13:33-13:43

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.33	kPa
烟温	88	℃	全压	1.39	kPa
截面	0.0297	m ²	含氧量	3.4	%
流速	11.4	m/s	烟气流量	3161	m ³ /h
烟速	97	Pa	标干流量	3688	m ³ /h

检测点：轻卡三厂涂装车间电泳烘干室废气排放口 13:45-14:00

参数	结果	单位	参数	结果	单位
大气压	101.0	kPa	静压	1.27	kPa
烟温	88	℃	全压	1.33	kPa
截面	0.0297	m ²	含氧量	3.4	%
流速	12.4	m/s	烟气流量	3612	m ³ /h
烟速	114	Pa	标干流量	4138	m ³ /h

检测结果

报告编号 EDD39H00031801

第 9 页 共 11 页

质控信息

项目	实测值	标准样品浓度
氨氧化物	0.747mg/L	0.740±0.034mg/L

项目	实测值	相对误差%
苯	10.2mg/L	2 (标准样品浓度 10.0mg/L, 自配)
甲苯	10.4mg/L	4 (标准样品浓度 10.0mg/L, 自配)
对二甲苯	10.8mg/L	8 (标准样品浓度 10.0mg/L, 自配)
间二甲苯	10.2mg/L	2 (标准样品浓度 10.0mg/L, 自配)
邻二甲苯	10.5mg/L	5 (标准样品浓度 10.0mg/L, 自配)
非甲烷总烃	甲烷	0.4 (标准样品浓度 5.14mg/m³, 自配)
	总烃	3 (标准样品浓度 10.2mg/m³, 自配)

检测仪器 (名称、型号、出厂编号、公司编号)

检测仪器	名称、型号	出厂编号	公司编号
电子天平	DV215CD		TTE20120164
紫外可见分光光度计	UV-7504	5041303064	TTE20131159
气相色谱仪	GC-2014	c11485014790	TTE20131148
气相色谱仪 GC	GC-2010Plus	C11805110024SA	TTE20140723

合肥市经济技术开发区芙蓉路标准厂房 2A 三层

CTI CENTRE TESTING INTERNATIONAL CORPORATION

400-88881700

Complaint E-mail: complaint@cti-cert.com

E-mail: shu@cti-cert.com



400-88881700

400-88881700

www.cti-cert.com

报告说明

报告编号 EDD39H000318401

第 10 页 共 11 页

1. 本次检测的依据:

Reference documents for the testing:

产品类别	项目	检测标准(方法)名称及编号(含年号)
工业废气	颗粒物	固定污染源排气中颗粒物测定与气态污染物采样方法 GB/T16157-1996
工业废气	苯、甲苯、二甲苯	活性炭吸附-二硫化碳解析气相色谱法《空气和废气监测分析方法》(第四版)第六篇第二章(一)(国家环保总局(2003))
工业废气	非甲烷总烃	固定污染源排气中非甲烷总烃的测定气相色谱法 HJ/T 38-1999
工业废气	一氧化碳	定电位电解法《空气和废气监测分析方法》(第四版)第五篇第四章(十一)(国家环保总局(2003))
工业废气	氮氧化物	固定污染源排气中氮氧化物的测定盐酸萘乙二胺分光光度法 HJ/T 43-1999

注: 1.以上数据引用报告编号为 EDD39H000318401 报告。

2. 检测地点

Place of the testing

CTI 实验室 合肥市经济技术开发区芙蓉路标准厂房 2#A 三层

CTI Lab 3/F, No.2 Building, Furong Road, Economic and Technological Development Zone, Hefei, Anhui, China.

3. 本报告无 CTI 报告章无效

This report is considered invalid without the CTI report stamp.

8. 对本报告有疑议,请在收到报告 10 天之内与本公司联系。

Please contact with us within 10 days after you received this report if you have any questions with it.

9. 除客户特别申明并支付样品管理费,所有样品超过标准规定的时效期均不再做留样。

All the samples do not be reserved after invalid unless clients declare specially and pay administration fee in advance.

合肥市经济技术开发区芙蓉路标准厂房 2#A 三层


INTRE TESTING INTERNATIONAL CORPORATION

Telephone: 0755-23681700

Complaint E-mail: complaint@cti-cert.com

E-mail: info@cti-cert.com

400-8788-333
www.cti-cert.com





华测检测
CENTRE TESTING INTERNATIONAL



检测报告

报告编号: EDD39H001006001

第 1 页 共 5 页

委托单位 安徽江淮汽车股份有限公司

地 址 合肥市东流路 176 号

检测类别 废水

主 检: 机之

审 核: 李娜

批 准: 李娜

日 期: 2015.9.16

查时亮
实验室技术



检测结果

报告编号: EDD59H001006001

第 2 页 共 5 页

样品信息:

检测类别	采样点	采样人	检测方法	样品状态
废水	详见 (1)	解经国, 陈庆龙	随时	无色、无异味、透明

检测结果:

(1) 废水

采样点	检测项目	结果	单位
	pH 值	7.38	无量纲
	SS	14	mg/L
	COD _{Cr}	34.6	mg/L

废水

检测信息

报告编号: EDD39H001006001

第 3 页 共 5 页

质控信息

项目	测试值	标准样品浓度
pH(无量纲)	7.33	7.33±0.05
COD _{Cr}	23.6mg/L	24.2±0.5mg/L
氨氮	2.36mg/L	2.38±0.10mg/L
磷酸盐 (以 P 计)	1.59mg/L	1.58±0.06mg/L
石油类	30.1mg/L	30.1±1.5mg/L

项目	实测值	相对误差
pH	7.33	0.0%
COD _{Cr}	23.6	-2.5%
氨氮	2.36	-0.8%
磷酸盐	1.59	0.6%
石油类	30.1	0.0%

报告说明

报告编号: EDD39H001006001

第 5 页 共 5 页

10. 委托检测结果及其对结果的判定结论只代表检测时污染物排放状况。

The test results and the assessment conclusion to results only represent the pollutant emissions of sampling.

11. 除客户特别声明并支付档案管理费, 本次检测的所有记录档案保存期限为十年。

All of the testing records would be kept for ten years unless the customer declares and pays administration fee in advance.

报告结束



Q/CTI WL-QCD-0011-F01 版本/版次 1.0

RE TESTING INTERNATIONAL CORPORATION

lant call: 0755-3333, 702

Complaint E-mail: complaint@cti-cert.com

E-mail: info@cti-cert.com

400-6788-333
www.cti-cert.com

CENT
Comp

检测报告

COD _{Cr}	113mg/L	112±6mg/L
氨氮	2.36mg/L	2.38±0.10mg/L
磷酸盐 (以 P 计)	0.59mg/L	1.58±0.06mg/L
石油类	30.1mg/L	30.1±1.5mg/L

项目	实测值	相对误差%
总镍	0.789mg/L	1 (标准样品浓度 0.800mg/L, 自配)

检测仪器 (名称、型号)

pH 酸度计	PHS-3C	600408N0013050623	TTE20131133
电子天平	ME204	B3500088643	TTE20141952
红外分光测油仪	JLBG-125	1312125059	11158
紫外可见分光光度计	UEQ1411008	UEQ1411008	TTE20150952
原子吸收分光光度计	AA7000P	A30945000168	TTE20131193

QCTH-WI-QCD-0011-201 第4版次 L9



报告说明

报告编号: EDD39H001006002

第 5 页 共 5 页

10. 委托检测结果及其对结果的判定结论只代表检测时污染物排放状况。

The test results and the assessment conclusion to results only represent the pollutant emissions of sampling.

11. 除客户特别申明并支付档案管理费, 本次检测的所有记录档案保存期限为十年。

All of the testing records would be kept for ten years unless the customer declares and pays administration fee in advance.

报告结束



Q/CTI WI-QCD-0011-PC

CENTRE TESTING INTERNATIONAL CORPORATION

Complaint call: 0755-33661700

Complaint E-mail: complaint@cti-cert.com

E-mail: info@cti-cert.com



400-6788-333
www.cti-cert.com