

正本

安徽合大环境检测有限公司

委托单位： 安徽江淮汽车集团股份有限公司重卡车分公司

LA 3000 3/2007 11



编制人 魏悠然 魏悠然



甲 核 人 徐 迎 玲

批准人 汪小强 元永超

检测专用章

报告日期 2020 年 3 月 13 日

实验室地址：合肥市经开区锦绣大道 99 号

Abstract The purpose of this study was to determine whether there were differences in the prevalence of risk factors for coronary artery disease between two groups of men who had been exposed to asbestos during their military service. One group consisted of 600 men who had worked in the shipyard at the Naval Air Station in Alameda, California, from 1947 to 1968; the other group consisted of 600 men who had worked in the shipyard at the Naval Air Station in San Diego, California, from 1947 to 1968. The prevalence of risk factors for coronary artery disease was determined by a questionnaire sent to each man. The results showed that the prevalence of risk factors for coronary artery disease was significantly higher in the group of men who had worked in the shipyard at the Naval Air Station in Alameda, California, than in the group of men who had worked in the shipyard at the Naval Air Station in San Diego, California.

[illegible]

Figure 1. The location of the study area in the north-east of Iran.

Age Group	Percentage
18-24	~10%
25-34	~35%
35-44	~25%
45-54	~20%
55-64	~15%
65-74	~10%
75-84	~5%
85+	~2%

[illegible][illegible]

检测报告说明

一、本检测报告的有效期:本检测单位检测数据真实有效,检测结果准确、客观、公正、客观。

二、本检测报告仅对本单位内部批准、本单位制定(含上级标准除外),不得被除本单位以外的其他单位和个人使用,不得用于商业用途。

三、对委托单位自行采集的样品,检测单位对产品检测结果负责,不对样品来源负责。

四、委托单位对本报告所检测数据结果如有异议,请于收到报告之日起三个工作日内向本检测单位负责人提出申诉,超过申诉期限,概不受理。

五、本单位对委托单位的检测数据及其他相关资料严格保密,决不利用委托单位的技术和资料从事技术开发和技术服务,以维护委托单位合法权益。

六、检测单位应遵守有关法律、法规和标准,严格执行检测标准。

七、检测报告的结果只反映检测样品实际情况。

八、检测单位应保留检测记录并支付检测管理费,本检测报告所有记录资料保存期限为六年。

设备名称	设备型号	设备数量	设备品牌
服务器	戴尔 R740	2	戴尔
交换机	华为 S5700	1	华为
路由器	思科 3845	1	思科
防火墙	深信服 NGFW	1	深信服

表 1: 设备清单

设备名称: 服务器, 设备型号: 戴尔 R740, 设备数量: 2, 设备品牌: 戴尔

表 1.1: 服务器配置 (以 R740 为例)

服务器配置 (以 R740 为例)						网络配置	
硬件配置			软件配置			IP 地址	子网掩码
处理器	内存	硬盘	操作系统	数据库	应用服务	192.168.1.10	255.255.255.0
Intel Xeon E5-2680 v4	64GB DDR4	4x 10TB SAS	CentOS 7.6	MySQL 5.7	Nginx 1.18.0	192.168.1.11	255.255.255.0
100%	100%	100%	100%	100%	100%	192.168.1.12	255.255.255.0

表 1.2: 网络配置

样品编号

243001231S

3430012301S

2430012301S

2430012301S

检测项目

1.1

注: 检测结果仅供参考, 不作为法律依据。

表 1.1 检测结果 (以 1.1.1 为例)

检测项目		检测结果		检测结果		检测结果	
检测项目	检测结果	检测项目	检测结果	检测项目	检测结果	检测项目	检测结果
1.1.1.1	1.1.1.1	1.1.1.2	1.1.1.2	1.1.1.3	1.1.1.3	1.1.1.4	1.1.1.4
1.1.1.5	1.1.1.5	1.1.1.6	1.1.1.6	1.1.1.7	1.1.1.7	1.1.1.8	1.1.1.8
1.1.1.9	1.1.1.9	1.1.1.10	1.1.1.10	1.1.1.11	1.1.1.11	1.1.1.12	1.1.1.12
1.1.1.13	1.1.1.13	1.1.1.14	1.1.1.14	1.1.1.15	1.1.1.15	1.1.1.16	1.1.1.16
1.1.1.17	1.1.1.17	1.1.1.18	1.1.1.18	1.1.1.19	1.1.1.19	1.1.1.20	1.1.1.20
1.1.1.21	1.1.1.21	1.1.1.22	1.1.1.22	1.1.1.23	1.1.1.23	1.1.1.24	1.1.1.24
1.1.1.25	1.1.1.25	1.1.1.26	1.1.1.26	1.1.1.27	1.1.1.27	1.1.1.28	1.1.1.28
1.1.1.29	1.1.1.29	1.1.1.30	1.1.1.30	1.1.1.31	1.1.1.31	1.1.1.32	1.1.1.32
1.1.1.33	1.1.1.33	1.1.1.34	1.1.1.34	1.1.1.35	1.1.1.35	1.1.1.36	1.1.1.36
1.1.1.37	1.1.1.37	1.1.1.38	1.1.1.38	1.1.1.39	1.1.1.39	1.1.1.40	1.1.1.40
1.1.1.41	1.1.1.41	1.1.1.42	1.1.1.42	1.1.1.43	1.1.1.43	1.1.1.44	1.1.1.44
1.1.1.45	1.1.1.45	1.1.1.46	1.1.1.46	1.1.1.47	1.1.1.47	1.1.1.48	1.1.1.48
1.1.1.49	1.1.1.49	1.1.1.50	1.1.1.50	1.1.1.51	1.1.1.51	1.1.1.52	1.1.1.52
1.1.1.53	1.1.1.53	1.1.1.54	1.1.1.54	1.1.1.55	1.1.1.55	1.1.1.56	1.1.1.56
1.1.1.57	1.1.1.57	1.1.1.58	1.1.1.58	1.1.1.59	1.1.1.59	1.1.1.60	1.1.1.60
1.1.1.61	1.1.1.61	1.1.1.62	1.1.1.62	1.1.1.63	1.1.1.63	1.1.1.64	1.1.1.64
1.1.1.65	1.1.1.65	1.1.1.66	1.1.1.66	1.1.1.67	1.1.1.67	1.1.1.68	1.1.1.68
1.1.1.69	1.1.1.69	1.1.1.70	1.1.1.70	1.1.1.71	1.1.1.71	1.1.1.72	1.1.1.72
1.1.1.73	1.1.1.73	1.1.1.74	1.1.1.74	1.1.1.75	1.1.1.75	1.1.1.76	1.1.1.76
1.1.1.77	1.1.1.77	1.1.1.78	1.1.1.78	1.1.1.79	1.1.1.79	1.1.1.80	1.1.1.80
1.1.1.81	1.1.1.81	1.1.1.82	1.1.1.82	1.1.1.83	1.1.1.83	1.1.1.84	1.1.1.84
1.1.1.85	1.1.1.85	1.1.1.86	1.1.1.86	1.1.1.87	1.1.1.87	1.1.1.88	1.1.1.88
1.1.1.89	1.1.1.89	1.1.1.90	1.1.1.90	1.1.1.91	1.1.1.91	1.1.1.92	1.1.1.92
1.1.1.93	1.1.1.93	1.1.1.94	1.1.1.94	1.1.1.95	1.1.1.95	1.1.1.96	1.1.1.96
1.1.1.97	1.1.1.97	1.1.1.98	1.1.1.98	1.1.1.99	1.1.1.99	1.1.1.100	1.1.1.100

注: 检测结果仅供参考, 不作为法律依据。

表 1.8. 检测结果 (2月21日)

[illegible]

1997年12月29日

[illegible]

Figure 1: A large, complex heatmap showing the expression of 10,000 genes across 100 samples. The heatmap is divided into several color-coded regions: red (top left), yellow (top right), green (middle left), blue (middle right), and purple (bottom). The x-axis is labeled 'Sample' and the y-axis is labeled 'Gene'. The heatmap shows a dense pattern of colored squares, indicating the expression levels of each gene in each sample.

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases. The number of correct responses was significantly higher than the number of incorrect responses in all cases.

[illegible][illegible][illegible][illegible]

